

The background features a series of thin white lines forming a large, irregular shape. Within this shape, there are three solid-colored triangles: a light blue one at the top, a medium red one below it, and a small dark red one further down. The text 'MONTEALBAN' is in white, bold, uppercase letters, and 'puertas' is in white, lowercase letters, positioned below the main text.

MONTEALBAN
puertas

A white line drawing of a door frame is located in the bottom right corner of the image. It consists of a vertical line, a horizontal line, and a small circle representing a handle or lock.

MONTEALBAN
doors



MONTEALBAN
doors

Classic line	4
Contemporary line	12
Plank doors	22
Fire rated	26
Louver doors	28
French doors	30
Comercial doors	32
Specifications	34




CLASSIC LINE


110

Red Oak

BIFOLDS



175





ClassicLine


Available in Cherry, Maple, Rustic Alder, Poplar, Okume, Knotty Pine, Pine and otherspecies.

Matching 20 minutes Fire Rated Doors also available.


100

Red Oak

BIFOLDS



145






CLASSIC LINE


190

Cherry

BIFOLDS



195





190 B

Rustic Alder

BIFOLDS

195B






CLASSIC LINE


191

Mahogany

BIFOLDS



196





192

Mahogany

BIFOLDS

197





CLASSIC LINE

O2 M


Mahogany





LR 3

Red Oak





CONTEMPORARY LINE

192

Mahogany



105

Cherry





CONTEMPORARY LINE


300

Maple



36

Maple






CONTEMPORARY LINE

LR 7V

Red Oak



91

Maple






CONTEMPORARY LINE

LR AU



Poplar / Wenge





LR AP

Poplar / Wenge



CONTEMPORARY LINE



LR 11W

Maple / Wenge




LR 11S

Maple / Sapelly

LR 7H

Maple






PLANK DOORS


91 PL

Knotty Pine

BIFOLDS




96PL



92 PL

Knotty Pine

BIFOLDS



97PL






PLANK DOORS


90 PL AT

Rustic Alder

BIFOLDS




95PL-AT



92 PL AT

Rustic Alder

BIFOLDS




97PL-AT



FIRE RATED DOORS

104 FR

Red Oak



100 FR

191 FR







Montealban's 20 Minutes Positive Pressure Fire-Rated Doors (UBC 97) are rated with Intertek (Warnock Hersey) and are also Sound Tested (STC Test 2001-ITS).

110 FR


Poplar



190 FR



102 FR



LOUVER DOORS



700 R



710 RT

700 RR





FRENCH DOORS

135

Red Oak

122

Mahogany



COMMERCIAL DOORS





SPECIFICATIONS

Standard Widths	1'-6", 2'-0", 2'-2", 2'-4", 2'-6", 2'-8", 2'-10", 3'-0"
Standard Heights	6'-8", 7'-0", 8'-0"
Door Thickness	1-3/8", 1-3/4"
Panel Thickness	1/2", 5/8", 3/4", 1"



Cove Sticking




Ovalo Sticking




Square Sticking



Solid Wood Edges
Solid Wood Profile Stickings
Bladder Pressed Raised Panels
End Caps of Solid Wood, no exposed core



Dowel Joint



Puertas Finas de Madera Montealban
Surcos Largos s/n, San Francisco Tutla,
Santa Lucia del Camino, Oaxaca, Oax., México
C.P. 71228

☎ (951) 517 5500 / 517 5219 / Fax (951) 517 5231

www.pmontealban.com.mx